


SABER MINI

Essential Cove



FEATURES

- Slim profile linear LED - 1/2" x 5/8"
- Soft light premium diffuser for smooth even illumination
- 210 Lumens per foot (70LM/W)
- Line dimmable to 10%
- Several mounting and connector options

MOUNTING

- 0-60° angle adjustable mounting brackets
- fixed mount brackets
- Integrated magnets

ELECTRICAL/CONTROLS

- 120Vac, 50-60Hz input
- Leading & trailing edge (Triac/ELV) dimmable
- Typical 210 lumen/foot or 70 lm/W
- Linkable up to 35ft
- Ambient operating temperature: -10°C to + 40°C

LISTING

- ETLus Listed to UL1598 and UL153 (suitable for dry and damp locations only)
- cETL Listed to CSA C22.2 #250.0
- IP20 rated
- JA8, Title 24 certified (2022 standard)

LED INFO

- Samsung 2835 LED: SDCM: 3-step MacAdam Ellipse, Duv +/- 0.001, Lumen Maintenance: L₇₀ > 50,000 hrs

PROJECT INFORMATION		
JOB NAME	TYPE	
ORDERING CODE		

ORDERING CODE

SERIES	SABER	essential cove
TYPE	SR2	saber rigid, mini
SIZE	4	4"
	6	6"
	12	12"
	24	24"
	48	48"
CCT	30K	3000K
CRI	90	90 CRI
FINISH	WH	white
VOLTAGE	120	120V
DIMMING	ELV	leading & trailing edge dimming (Triac/ELV)




ORDERING CODE

Follow the steps to specify your fixture, example:
SABER - SR2 - 12 - 30K - 90 - WH - 120 - ELV


LENGTH (INCH)	LUMENS (LM)	POWER (W)
4"	110	1.5
6"	110	1.5
12"	210	3
24"	420	6
48"	840	12

PROJECT INFORMATION		
JOB NAME		TYPE
ORDERING CODE		


PRODUCT DIMENSIONS




Metal Plate
(magnet mount - 2pcs.)



Mounting Bracket
(2pc. included)




Tilt Mounting Bracket



PROJECT INFORMATION		
JOB NAME		TYPE
ORDERING CODE		

ACCESSORIES

- Accessories**
- SABER-PLUG-3-WH** 39" cord and plug, white
 - SABER-LPLUG-3-WH** 39" cord and plug - 90deg elbow, white
 - SABER-HCORD-5-WH** 60" hardwire power cord, white
 - SABER-HCORD-8-WH** 96" hardwire power cord, white
 - SABER-CON** linear connector, white
 - SABER-FCON-6-WH** 6" flexible connector, white
 - SABER-BRKT** mounting bracket - 2pcs, tilt mounting bracket 60deg - 2pcs, white
 - SABER-MPLATE¹** metal mounting plates for magnets - 2pcs
 - SABER-ECAP-WH** end cap, white
 - SABER-JBOX-WH** terminating junction box, non switchable, white



NOTES

1. 4" - 12" (2 pcs.), 24" (3pcs.), 48" (4 pcs.)